

COMMERCIAL FRIDGES
COMMERCIAL EQUIPMENT
CATALOG
2021



THE COMPANY

DOMI has been established in 1989 manufacturing commercial refrigerators and stainless steel fabrications, in our privately owned factory in Nea Santa, Kilkis.

Our objective is the manufacturing of commercial equipment for food, beverage and food services industry for any kind of need or particularity that can be presented in a business.

We offer solutions from a range of services, such as the installation of products, or installation proposals and space studies from support by specialized personnel.

This way we have the ability to undertake and deliver completed projects.

This is why our commercial refrigerators and stainless steel products, as well as our services, are essential solutions to our customers' needs.



03

DELI
MEAT
DISPLAYS

19

SELF SERVICE
DISPLAYS

33

BAKERY
PASTRY
DISPLAYS

CONTENTS CON







DELI, MEAT DISPLAYS

1 - 6 °C
ACHILLES




Meat display with securite crystals on hydraulic arms.
With installed or not cooling machine.





SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- Installed or not cooling machine
- Corian type side panels
- Non-glare system for zero condensation outside
- Detachable operators Plexiglass
- Storage door opening 51x38cm
- Width choices: 100cm, 110cm, 120cm
- Usable width of display: 68cm, 78cm or 88cm
- Working back counter of 25cm
- Spacious cooling storage
- Hidden LED lighting



LENGTH	1500mm	2000mm	2500mm	3000mm	3500mm	4000mm
HORSE POWER*	3/4 HP	3/4 HP	1 HP	1 HP	1/2 + 3/4 HP	3/4 + 3/4 HP†



*The suggested horse power refers to hermetic compressor.



1 - 6 °C
PERSEUS




Meat and deli display with installed cheese container of natural flow.
With securite crystals on hydraulic arms and installed or not cooling machine.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Installed or not cooling machine
- Automatic defrost system
- Corian type side panels
- Non-glare system for zero condensation outside
- Detachable operators Plexiglass
- Storage door opening 51x38cm
- Usable width of display: 68cm, 78cm or 88cm
- Working back counter of 25cm
- Spacious cooling storage
- Hidden LED lighting



LENGTH	1500mm	2000mm	2500mm	3000mm	3500mm	4000mm
HORSE POWER*	3/4 HP	3/4 HP	1 HP	1 HP	1/2 + 3/4 HP	3/4 + 3/4 HP
CHEESE CONTAINER DIMENSIONS						
FOR 2+2 CONTAINERS	34cm					
FOR 4+4 CONTAINERS OR ONE BARREL	64cm					
FOR 6+6 CONTAINERS	94cm					
FOR 8+8 CONTAINERS OR TWO BARRELS	119cm					
FOR 10 + 10 CONTAINERS	134cm					


*The suggested horse power refers to hermetic compressor.



COATING
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT





CUSTOMIZABLE
BRANDING

2 - 6°C
POSEIDON




Deli display with installed or not cooling machine.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Installed or not cooling machine
- Automatic defrost system
- Cooling storage of natural flow with door opening of 51x38cm
- Water evaporator
- Detachable operators plexi glass and filing case
- Curved detachable crystals
- Usable width of display: 68cm
- Working back counter of 30cm



LENGTH	1520mm	2020mm	2520mm	3020mm	3520mm	4020mm
HORSE POWER*	1/2 HP	3/4 HP	3/4 HP	1 HP	1/2 + 3/4 HP	3/4 + 3/4 HP


*The suggested horse power refers to hermetic compressor.



COLOR
SELECTION



LED LIGHTING




ELECTRONIC
THERMOMETER
THERMOSTAT




CUSTOMIZABLE
BRANDING



2-6°C
ZEUS




Deli display with installed cheese container of natural flow.
With installed or not cooling machine and
reclining counter at the cheese container for easy loading.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Installed or not cooling machine
- Automatic defrost system
- Cooling storage of natural flow with door opening of 51x38cm
- Water evaporator
- Detachable operators plexi glass and filing case
- Curved detachable crystals
- Usable width of display: 68cm
- Working back counter of 30cm



LENGTH	1520mm	2020mm	2520mm	3020mm	3520mm	4020mm
HORSE POWER*	1/2 HP	3/4 HP	3/4 HP	1 HP	1/2 + 3/4 HP	3/4 + 3/4 HP
CHEESE CONTAINER DIMENSIONS						
FOR 2+2 CONTAINERS	34cm					
FOR 4+4 CONTEAINERS OR ONE BARREL	64cm					
FOR 6+6 CONTAINERS	94cm					
FOR 8+8 CONTAINERS OR TWO BARRELS	119cm					
GIA 10 + 10 CONTAINERS	134cm					


*The suggested horse power refers to hermetic compressor.



COLOR
SELECTION



LED LIGHTING




ELECTRONIC
THERMOMETER
THERMOSTAT





CUSTOMIZABLE
BRANDING

2 - 6 °C
APOLLO




Deli and meat display with installed or not cooling machine.
With 86cm of usable display width.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- No storage
- Non-glare system for zero condensation outside
- Detachable operators plexi glass and filing case at the back
- Curved detachable crystals
- Storage door opening 51x38cm
- Working back counter of 23cm
- Water evaporator



LENGTH	1520mm	1950mm	2460mm	2950mm	3490mm	3900mm
HORSE POWER*	3/4 HP	3/4 HP	1 HP	1 HP	1/2 + 3/4 HP	3/4 + 3/4 HP

*The suggested horse power refers to hermetic compressor.
**It can be manufactured into a corner uppon request.
***Cooling storage can be manufactured with different height uppon request






COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT





CUSTOMIZABLE
BRANDING

3 - 6°C
HERMES




Deli display with cooling machine.
Natural flow refrigeration in the display and in the storage.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Automatic defrost system
- Detachable operators Plexiglass
- Straight detachable crystals
- Storage door opening 44x29cm
- Working back counter of 28cm
- Usable width of display: 54cm



LENGTH	1050mm	1510mm	3900mm
HORSE POWER*	1/4 HP	3/8 HP	1/2 HP


*The suggested horse power refers to hermetic compressor.



COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT



CUSTOMIZABLE
BRANDING

1 - 6 °C
ATLAS



Deli display with cooling machine.
Natural flow refrigeration in the display and in the storage.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Automatic defrost system
- Sliding or opening double glass doors
- 220V Single-phase
- Outer color selection
- Bars for hangers
- Installation of shelves with extra fee




LENGTH	950mm	1600mm
DOORS	1	2
HORSE POWER	1/2 HP	3/4 HP



COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT



CUSTOMIZABLE
BRANDING





CHOOSE THE GOOD STUFF



SELF SERVICE DISPLAYS




Self Service Fridge Display with installed or not cooling machine.
With five solid adjustable and tiltable shelves.



SPECIFICATIONS



- Eco-friendly polyurithane insulated panels
- Polyurithane blind side panels
- Ventilated refrigeration
- Automatic defrost system
- Shelf width: 45cm
- Double glass opening or sliding doors
- Display color choice inside and out



LENGTH	700mm	1420mm	2150mm	2900mm	3600mm
DOORS	1	2	3	4	5
HORSE POWER	1/2 HP	3/4 HP	1 HP	3/4 + 3/4 HP	1 HP + 1 HP



Self Service Grocery Display with installed or not cooling machine.
With two adjustable and tiltable grocery shelves.





2 - 4 °C
LIVAS²²⁰⁰



Self Service Fridge Display with installed or not cooling machine.
With six solid adjustable and tiltable shelves.



SPECIFICATIONS



- Eco-friendly polyurithane insulated panels
- Polyurithane blind side panels
- Ventilated refrigeration
- Automatic defrost system
- Shelf width: 45cm
- Double glass opening or sliding doors
- Display color choice inside and out



LENGTH	700mm	1420mm	2150mm	2900mm	3600mm
DOORS	1	2	3	4	5
HORSE POWER	1/2 HP	3/4 HP	1 HP	3/4 + 3/4 HP	1 HP + 1 HP



Self Service Grocery Display with installed or not cooling machine.
With three adjustable and tiltable grocery shelves.





-18 - -20 °C
LIVAS2050



Self Service Freezer Display with installed or not cooling machine.
With five solid adjustable and tiltable shelves.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- Shelf width: 45cm
- Double glass opening doors
- Display color choice inside and out



LENGTH	700mm	1420mm	2150mm	2900mm	3600mm
DOORS	1	2	3	4	5
HORSE POWER	3/4 HP	1.5 HP	1.5 HP	1.5 + 1.5 HP	1.5 HP + 1.5 HP



COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT



CUSTOMIZABLE
BRANDING

SELF SERVICE

-18 - -20 °C
LIVAS²²⁰⁰



Self Service Freezer Display with installed or not cooling machine.
With six solid adjustable and tiltable shelves.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- Shelf width: 45cm
- Double glass opening doors
- Display color choice inside and out



LENGTH	700mm	1420mm	2150mm	2900mm	3600mm
DOORS	1	2	3	4	5
HORSE POWER	3/4 HP	1.5 HP	1.5 HP	1.5HP + 1.5 HP	1.5 HP + 1.5 HP



COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT




CUSTOMIZABLE
BRANDING

SELF SERVICE

2 - 4°C
KRONOS 2020




Self Service display without cooling machine.
With four [2020] or five [2200] adjustable shelves.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- Expansion valve R 404A
- Shelf width 40cm
- With night cover or door
- Available at 2,02m and 2,20m height
- Available with blind panels
- Available in white or black on the inside of the display



LENGTH	1580mm	2080mm	2520mm	3020mm	3530mm	3990mm
HORSE POWER WITH DOORS*	1 HP	1 1/2 HP	2 HP	2 1/2 HP	3 HP	3 1/2 HP
HORSE POWER WITHOUT DOORS*	1 1/2 HP	2 HP	2 1/2 HP	3 HP	3 1/2 HP	4 HP
LENGTH [HEIGHT 2020]	1580mm	2080mm	2520mm	3020mm	3530mm	3990mm
DOORS	2	3	4	4	5	6
LENGTH	1580mm	2080mm	2520mm	3020mm	3530mm	3990mm
HORSE POWER WITH DOORS*	1 1/2 HP	2 HP	2 1/2 HP	3 HP	3 1/2 HP	4 HP
HORSE POWER WITHOUT DOORS*	2 HP	2 1/2 HP	3 HP	3 1/2 HP	4 HP	4 1/2 HP
LENGTH [HEIGHT 2200]	1580mm	2080mm	2520mm	3020mm	3530mm	3990mm
DOORS	2	3	4	4	5	6


*The suggested horse power refers to hermetic compressor.




COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT



CUSTOMIZABLE
BRANDING


SELF SERVICE



2 - 4°C
TEMPO 2020
2200




Self Service Grocery display without cooling machine.
With two adjustable wooden shelves.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- Expansion valve R 404A
- Shelf width 50cm
- With night cover or door
- Available at 2,02m and 2,20m height
- Available with blind panels
- Available in white or black on the inside of the display
- Mirror at the upper part
- Baskets at the bottom part



LENGTH	1580mm	2080mm	2520mm	3020mm	3530mm	3990mm
HORSE POWER WITH DOORS*	1 HP	1 1/2 HP	2 HP	2 1/2 HP	3 HP	3 1/2 HP
HORSE POWER WITHOUT DOORS*	1 1/2 HP	2 HP	2 1/2 HP	3 HP	3 1/2 HP	4 HP
LENGTH [HEIGHT 2020]	1580mm	2080mm	2520mm	3020mm	3530mm	3990mm
DOORS	2	3	4	4	5	6
LENGTH	1580mm	2080mm	2520mm	3020mm	3530mm	3990mm
HORSE POWER WITH DOORS*	1 1/2 HP	2 HP	2 1/2 HP	3 HP	3 1/2 HP	4 HP
HORSE POWER WITHOUT DOORS*	2 HP	2 1/2 HP	3 HP	3 1/2 HP	4 HP	4 1/2 HP
LENGTH [HEIGHT 2200]	1580mm	2080mm	2520mm	3020mm	3530mm	3990mm
DOORS	2	3	4	4	5	6


*The suggested horse power refers to hermetic compressor.




COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT



CUSTOMIZABLE
BRANDING

SELF SERVICE





BAKERY, PASTRY DISPLAYS

4 - 8 °C
VENUS




Double glass pastry display with white or black screen printing.
With installed cooling machine.




SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated or natural flow refrigeration
- Automatic defrost system
- Illuminated shelves
- Color selection




VENUS COLD WITH DOUBLE CRYTALS				
LENGTH	800mm	1000mm	1200mm	1600mm
HORSE POWER	1/4 HP	3/8 HP	1/2 HP	1/2 HP
VENUS COLD OF NATURAL FLOW WITH DOUBLE CRYSTALS (HEIGHT 1650mm)				
LENGTH	-	1000mm	1200mm	1600mm
HORSE POWER	-	3/8 HP	1/2 HP	3/4 HP
VENUS HOT				
LENGTH	800mm	1000mm	1200mm	1600mm
VENUS NEUTRAL				
LENGTH	800mm	1000mm	1200mm	1600mm



COLOR
SELECTION



LED LIGHTING




ELECTRONIC
THERMOMETER
THERMOSTAT

4 - 8 °C
ARIADNE




Pastry display with superimposed sliding crystals.
With Corian coating at the upper part and installed cooling machine.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- Anti-glare system
- Color selection between black or white color Corian
- Melamine color selection
- Cold | Warm | Neutral display
- Hidden lighting



LENGTH	1000mm	1500mm	2000mm
HORSE POWER*	1/4 HP	3/8 HP	1/2 HP

*The suggested horse power refers to hermetic compressor.






COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT

2 - 4 °C | -18 - -22 °C
VENUS VERTICAL
FRIDGE | FREEZER



Vertical fridge or refrigeration display with four sides of double glass crystals.
With installed or not cooling machine.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- Double glass crystals at the fridge
- Triple glass crystals at the refridgerator
- Choice of white or black screen printing
- 4 adjustable shelves




VENUS VERTICAL FRIDGEΜΗΚΟΣ		
LENGTH	700mm	1420mm
HORSE POWER	1/2 HP	3/4 HP
VENUS VERTICAL FREEZERΜΗΚΟΣ		
LENGTH	700mm	1420mm
HORSE POWER	3/4 HP	1 + 1/2 HP



COLOR
SELECTION




LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT




Salad Bar display with fixed crystals at the upper part.
With Corian coating at the upper part and installed cooling machine.



SPECIFICATIONS

- Eco-friendly polyurithane insulated panels
- Ventilated refrigeration
- Automatic defrost system
- Color selection between black or white color Corian
- Suitable for gastronorm 1/1




LENGTH	1500mm	1830mm	2150mm
HORSE POWER	3/8 HP	1/2 HP	1/2 HP
GASTRONORM	4	5	6



COLOR
SELECTION



LED LIGHTING



ELECTRONIC
THERMOMETER
THERMOSTAT



ΚΕΝΤΡΙΚΑ ΓΡΑΦΕΙΑ

ΕΡΓΟΣΤΑΣΙΟ - ΕΚΘΕΣΗ

ΝΕΑ ΣΑΝΤΑ, ΚΙΛΚΙΣ Τ.Κ. 61100

ΤΗΛ.: 23410 84590, ΦΑΞ: 23410 84080

EMAIL: info@domi.com.gr

SITE: www.domi.com.gr





HEAD QUARTERS
FACTORY - SHOWROOM
NEA SANTA, KILKIS P.C. 61100
TEL.: 23410 64590, FAX: 23410 64060
EMAIL: info@domi.com.gr
SITE: www.domi.com.gr

